



For more product details and in-depth information, visit us on the web at www.kz-rv.com









The Spree
Travel Trailer is
affordable, nicely
equipped and
built to take
practically
anything your
kids can dish out.









Standard pull-out trundle bed adds even more sleep space in the 318BHS bunkhouse floorplan. The kids will love it!





### 321BHS

The outside kitchen has everything you need and is perfect for the outdoor enthusiast.









The kids room features tons of storage. The built-in ladder makes it safe and easy for your little ones to access the loft bed and conveniently stores out of the way.



	iravei iraniers															
	210KS	220KS	240BHS	245KS	260FL	260RBS	261RKS	265KS	280RLS	289KS	301FK	310RLS	318BHS	321BHS	323RLS	324BHS
<b>UVW</b> (Unloaded Vehicle Wt.)	4,160	4,360	4,650	4,700	5,400	5,040	4,960	TBD	5,210	5,370	5,500	5,750	5,830	6,750	5,580	5,610
Dry Hitch Wt.	490	440	480	530	870	500	440	TBD	620	460	1,140	540	640	680	650	610
Dry Axle Wt.	3,670	3,920	4,170	4,170	4,530	4,540	4,520	TBD	4,590	4,910	4,360	5,210	5,190	6,070	4,930	5,000
NCC (Net Carrier Capacity)	1,340	1,140	1,850	1,800	1,400	1,760	1,840	TBD	1,790	1,630	1,500	1,550	1,470	1,150	1,420	1,690
GVWR	5,500	5,500	6,500	6,500	6,800	6,800	6,800	TBD	7,000	7,000	7,000	7,300	7,300	7,900	7,000	7,300
Interior Height	78"	78"	78"	78"	78"	78"	78"	TBD	78"	78"	78"	78"	78"	78"	78"	78"
Exterior Height	10'3"	10'3"	10'3"	10'3"	10'9"	10'9"	10'9"	TBD	10'9"	10'3"	10'3"	10'9"	10'9"	10'9"	10'9"	10'9"
Exterior Width	96"	96"	96"	96"	96"	96"	96"	TBD	96"	96"	96"	96"	96"	96"	96"	96"
Exterior Length	23'4"	23'4"	28'3"	26'2"	28'10"	28'8"	28'9"	TBD	29'9"	30'6"	32'3"	33'2"	32'9"	34'3"	32'5"	33'7"
Refrigerator (cu. feet)	6	6	6	6	6	6	6	TBD	6	6	6	6	6	6	6	6
Water Heater Cap. (gal. G/E w/DSI)	6	6	6	6	6	6	6	TBD	6	6	6	6	6	6	6	6
Fresh Water Cap. (gal.)	40	40	40	40	40	40	40	TBD	40	40	40	40	40	40	40	40
Waste Water Cap. (gal.)	32	32	32	32	32	32	32	TBD	32	32	32	32	32	32	32	32
Gray Water Cap. (gal.)	32	32	32	32	32	32	60	TBD	32	32	60	32	60	32	32	32
LP Gas Cap. (lbs.)	60	60	60	60	60	60	60	TBD	60	60	60	60	60	60	60	60
Furnace BTUs (1,000's)	20	20	20	20	20	20	20	TBD	25	25	30	30	30	30	30	30
Tire Size	15"	15"	15"	15"	15"	15"	15"	TBD	15"	15"	15"	15"	15"	15"	15"	15"

## **Standard Features**

- 13,500 Ducted BTU A/C AM/FM CD Player
- Awning

**Awning** 

- Microwave w/Turn Table
- 6 Cu. Double Door Refer
- · Straight Axles
- Skylight Over Tub
- Tub Surround
- Porch Light on ODS
- Hitch Light
- Cable Hook-Up
- Oven
- Night Shades

- Exterior Speakers
- 6 Gallon Gas/Electric DSI Water Heater
- 15" Radial Tires
- · Sink Cover
- · Exterior Shower
- Stabilizer Jacks (4xTT's & 2xFW's)

16'

14'

13'

- · Black Tank Flush System
- Tinted/Safety Windows
- Trash Bin
- · Power Jacks on FW's
- Black Glass Refer Front
   Enclosed Pin Box on FW's

## LX Package

15'

16'

- (All Standard Features)
- Aluminum Wheels
- Fiberglass Front Cap on TT only

TBD

15'

15'

 Assist Grab Handle • Raised Panel Refer Door

13'

15'

· LCD Flat Screen TV

16'

17'

- Posturest Mattress
- Foot Flush Flush Toilet

# **Additional Options**

- Countertop Extension (n/a on 210KS)
- Comfort Fan
- Outside Grill (n/a on 265RL)
- 15" LCD TV
- 26" LCD TV
- Side Ramp Door (289KS Only)
- Ramp Door Extension (289KS Only)
- Pull Down Screen Wall (289KS Only)
- Spare Tire, Carrier & Cover
- Air Bed Hide-A-Bed (260RBS, 280RLS, 301FK,
   State Seal (WA, OR or NE) 310RLS, 318BHS, 323RLS & 324BHS)

Satellite Preparation

14'

• Table and Four Chairs with Leaf (N/A on 210KS, 240BHS, 245KS, 260FL, 261RKS &

17'

- 15,000 BTU A/C
- Power Awning
- Jiffy Sofa with Flip Up Bunk (318BHS)
- Equa-Flex Suspension
- RVIA Seal
- Canadian Standards/CRVA



Comfort and convenience are designed into this convertible sleep space/cargo bay. The bed is flanked by matching mirrored wardrobes with cargo-netted storage compartments above.

# A Great Option -You can take your big toys along!

Shown with optional bedroom door ramp

> The wide side-entry door ramp with extension makes loading and unloading a breeze.



The bed easily stows out of the way with gas assist lift arms.



#### Fifth Wheels 265RLS 305BHS 6,310 7,340 910 1,230 5,400 6,110 1,190 1,460 7,500 8,800 91" 91" 11'9" 11'9" 96" 96" 28'2" 33'10" 6 6 6 6 40 40 32 32 32 60 60 60 25 30

#### **PLEASE NOTE:**


15"

18

15'

12

For your safety and satisfaction, each unit is weighed during final inspection. Chart reflects coaches as typically equipped. The options selected will affect the weight and carrying capacity.




- 13,500 BTU A/C
- TPO Vinyl Roof
- Vinyl Interior Ceiling Panel
- 4 1/2" Aluminum Truss Rafters. 16" O.C.
- R-7 Batten Insulation
- 6 Insulated Ductwork
- Heavy Duty Aluminum Headers
- Exterior Clearance and **Brake Lights**
- Aluminum Frame Front and End Walls
- Expanded Polystyrene R7


- 11 Fiberglass Exterior with Integrated Luan Backing
- 1/8" Luan Decorative Wall Board
- 1/8" Luan
- 14 3" Aluminum Stringer
- 15 Darco® Moisture Barrier
- Large Capacity Pass-Thru Exterior Storage with Radius Doors Front and Side for Easy Access
- 17 Heavy Duty I-beam Frame Construction
- 18 R-7 Batten Insulation
- 19 2x2 Double Welded Aluminum Floor Joists, 16" O.C.


- 20 Heated & Enclosed Underbelly
- 21 Fully Welded Outriggers
- 22 Plywood Floor
- 23 Heavy Duty Leaf Springs
- 24 Heavy Duty Steel Wheels
- Residential Style Carpet Pad
- Rack and Pinion Electric Slide with Manual Override with Box Tube Slide Out Ram
- Residential Carpet or Linoleum
- Tinted Safety Glass Windows
- 29 Triple Sealed Slide Outs

### Fiberglass Integrated Luan Backing **Expanded Polystyrene** Luan Decorative Wall Board

## **Four Distinctive Interior Selections**







Common Interior Décor **Package** 














# ree Travel Trailer Floorplans



210KS • UVW 4,160 • Dry Hitch Wt. 490 • NCC 1,340 • Length 23'4"



220KS • UVW 4,360 • Dry Hitch Wt. 440 • NCC 1,140 • Length 23'4"



• see fold-up bed/flip-up sofa option

**240BHS** • UVW 4,650 • Dry Hitch Wt. 480 • NCC 1,850 • Length 28'3"



245KS • UVW 4,700 • Dry Hitch Wt. 530 • NCC 1,800 • Length 26'2"



**260FL** • UVW 5,400 • Dry Hitch Wt. 870 • NCC 1,400 • Length 28'10



**260RBS** • UVW 5,040 • Dry Hitch Wt. 500 • NCC 1760 • Length 28'8"



· see ramp door option

**261RKS** • UVW 4,960 • Dry Hitch Wt. 440 • NCC 1,840 • Length 28'9"



265KS • UVW TBD • Dry Hitch Wt. TBD • NCC TBD • Length TBD




**280RLS** • UVW 5,210 • Dry Hitch Wt. 620 • NCC 1,790 • Length 29'9"



289KS • UVW 5,370 • Dry Hitch Wt. 460 • NCC 1,630 • Length 30'6"



**301FK** • UVW 5,500 • Dry Hitch Wt. 1,140 • NCC 1,500 • Length 32'3"



**310RLS** • UVW 5,750 • Dry Hitch Wt. 540 • NCC 1,550 • Length 33'2"



318BHS • UVW 5,830 • Dry Hitch Wt. 640 • NCC 1,470 • Length 32'9"




321BHS • UVW 6,750 • Dry Hitch Wt. 680 • NCC 1,150 • Length 34'3"




323RLS • UVW 5,580 • Dry Hitch Wt. 650 • NCC 1,420 • Length 32'5"



**324BHS** • UVW 5,610 • Dry Hitch Wt. 610 • NCC 1,690 • Length 33'7"



240BHS • Fold-Up Queen Bed w/ Flip-Up Sofa Opt.





318BHS • Sofa/Flip-Up Bunk Opt.

# Fifth Wheel Floorplans



**265RLS** • UVW 6,310 • Dry Hitch Wt. 910 • NCC 1,190 • Length 28'2"



**305BHS** • UVW 7,340 • Dry Hitch Wt. 1,230 • NCC 1,460 • Length 33'10"

## **Color Key:**

Carpet

Cabinets

Comfort Areas

Countertops

Linoleum 🗏

**2X2 WARRANTY –** The KZ Recreational Vehicles 2x2 Warranty is a manufacturer's warranty. Each KZ product is warrantied to the original purchaser for twenty-four (24) months from the original date of purchase. Coverage includes appliances, components, construction and FULL structure. The appliances and other amenities are warranted by the individual manufacturers of those components, not KZ. Our warranty is also transferable within the first two (2) years for a small processing fee. For a copy of the warranty with full terms and conditions, ask your local KZ Dealer or visit our web site at http://www.kz-rv.com.

**VEHICLE LOADING** – Every effort has been made to provide the greatest number of options for the recreation vehicle owner. Each owner is responsible to select loads allowing the recreational vehicle to remain within the manufacturer's specified chassis weight limits. Do not overload the recreational vehicle.

UNLOADED VEHICLE WEIGHT (UVW) - The typical weight of this trailer as built at the factory. The UVW does not include cargo, LP gas, fresh water, options or dealer-installed accessories.

**GROSS VEHICLE WEIGHT RATING (GVWR) - The maximum** permissible weight of the trailer, including the UVW plus passengers, all cargo, personal items, fluids, options and dealerinstalled accessories. The GVWR is equal to or greater than the sum of the UVW and the NCC.

NET CARRYING CAPACITY (NCC) - The maximum weight of all passengers, personal items, fresh water, food, tools, LP gas, other cargo and dealer-installed accessories\* that can be carried by the trailer. NCC is equal to or less than GVWR minus UVW.

\* The addition of options will decrease the NCC.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a seasoned veteran, get a feel for the performance of your tow vehicle and the RV together before heading out on the roadways. When you tow an RV, you must drive differently than you do when driving a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction.


See specification chart. KZ affixes a weight label to each new RV which lists weight information for that vehicle.

**NOTE:** This information is intended as a guide only. Weights of individual vehicles are approximate. Consult your Owner's Manual for complete loading, weighing and towing instructions. All weights may vary.



Due to continual research and advances, manufacturer reserves the right to change specifications, design, price and equipment without notice, and assumes no responsibility optional equipment. ©2009KZ

12/14/09 25M



Dealer: